

9/882,634

	Hits	Search Text	DBs
1	43919	(compound\$4 or composit\$4 or combination\$1) with key\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	12264	S1 and (columns or attributes or fields)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	7932	S2 and @ad < "20020306"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1888	S3 and (unique near5 (id\$1 or identifier\$1 or key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2007	S3 and ((unique or distinct) near5 (id\$1 or identifier\$1 or key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1073	S5 and index\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	719	S6 and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	183	S6 and (digital near5 (file\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	139	S8 and data\$1base\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	137	S9 and distribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	132	S10 and network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	91	S11 and node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	28621	(compound\$4 or composit\$4 or combination\$1) near5 key\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	39	S13 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	5391	(compound\$4 or composit\$4 or combination\$1) adj key\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	17099	(compound\$4 or composit\$4 or combination\$1) near2 key\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	3870	S15 and @ad < "20020306"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	1441	S17 and (unique or distinct)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	527	S18 and index\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	252	S19 and ((unique or distinct) near2 (id\$1 or identifier\$1 or key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	197	S20 and data\$1base\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	170	S21 and distribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	145	S22 and network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	104	S23 and node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	29	key\$1 with span\$5 with column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	19	S25 and @ad < "20020306"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	3	(( "5724577" ) or ("20020120598" ) or ("20020016922" ) ) .PN.	US-PGPUB; USPAT
28	0	("68200094" ) .PN.	US-PGPUB; USPAT
29	2	(( "0006820" ) or ("0000094" ) ) .PN.	US-PGPUB; USPAT
30	1	("20050015732" ) .PN.	US-PGPUB; USPAT
31	1	("20020108121" ) .PN.	US-PGPUB; USPAT